

CV3R


- 3 digits display with 7 segment LED display
- 13 time ranges 9.99sec~999hrs
- Circulation count time or single cycle selectable
- Count up or count down selectable
- Can check ON/OFF setting value during timer counting
- Key protection provided




SPECIFICATIONS

MODEL		CV3R-Y CV3R-N	CV3R-Y2S CV3R-N2S	CV3R-YT CV3R-NT	CV3R-YT1 CV3R-NT1
RATED VOLTAGE		12 ~ 60VDC/AC 100 ~ 240VAC 50/60Hz			
OPERATING VOLTAGE		85 ~ 110% of rated voltage			
ON-OFF FULL TIME RANGE		SEC: 9.99, 99.9, 999 MIN: 9.59, 99.9, 999 H R: 9.59, 99.9, 999			
CONTROL OUTPUT		Mode A/B 2C or 1A1C	Time limit 1C x 2	Time limit 1C 1+4 Start (Long trigger) 1+3 Reset	Time limit 1C 1+4 Start (Short trigger) 1+3 Reset
L I F E	MECHANICAL	5×10^6 times			
	ELECTRICAL	10^5 times			
RESET TIME		Power Reset : 0.3sec External Reset : 0.02sec			
CONSUMED POWER		Max. 3VA			
AMBIENT TEMPERATURE		-10°C ~ + 55°C			
AMBIENT HUMIDITY		45 ~ 85%RH			
WEIGHT		Approx. 140g		Approx. 130g	

CONNECTION DIAGRAMS & TIMING CHARTS




DIMENSIONS



DIMENSIONS

Flush Mounting (Y Type) : Using US-08 or P3G-08,P3G-08E Socket

Units: mm



ANV ELECTRIC CO., LTD.

Kaohsiung Headquarter

No. 151, Jin Shan Road, Kaohsiung, Taiwan
Tel :+886 7 359 5833 Fax :+886 7 359 5822
E-Mail : anv@anv.com.tw

Taipei Office

No. 166, Fu Xing 3rd Street, Taishan Dist.,
New Taipei City, Taiwan
Tel :+886 2 2296 3133 Fax :+886 2 2296 3233
E-Mail : taipei@anv.com.tw

Tainan Office

No. 60, Lin Sen Road Sec. 1, Tainan, Taiwan
Tel :+886 6 216 0988 Fax :+886 6 216 0388
E-Mail : tainan@anv.com.tw

ANV ELECTRIC (HK) LTD

Flat 4, 14/F., Block 4, Wai Wah Centre,
Shatin, N.T., Hong Kong
Tel :+852 2690 2588 Fax :+852 2690 2511
E-Mail : anv@anv.com.hk

Taichung Office

No. 532, Wen Hsin Road Sec. 1, Taichung, Taiwan
Tel :+886 4 2320 9930 Fax :+886 4 2320 9960
E-Mail : taichung@anv.com.tw

ANV ELECTRIC (M) SDN. BHD

25-1, Jalan 1/116B, Kuchai Entrepreneur's Park,
Off Jalan Kuchai Lama, 58200 Kuala Lumpur, Malaysia
Tel :+60 3 7980 3328 Fax :+60 3 7980 3779
E-Mail : anv@anv.com.my