





- Power supply for proximity and photoelectric switches
- NPN or PNP type combination obtainable by pushing the switch (PU-ND)
- Without change slide switch, can use for NPN or PNP type proximity and photoelectric switches (PU-NC, PU-NA, PU-NB-1, PU-NB-2, PU-NE)
- With DCV stabilizing device


SPECIFICATIONS

MODEL		PU-NC	PU-ND	PU-NB-1	PU-NB-2	PU-NA	PU-NE
RATED VOLTAGE		AC(V): 110, 220, 380, 415, 440 50/60Hz		AC(V): 100~240V 50/60Hz			
INDICATOR OPERATING		ON-UP Two indicator lamp	ON-Green UP-Red	ON-UP Two indicator lamp			POWER-OUT Two lamp
OUTPUT VOLTAGE AND CURRENT		12VDC 100mA 24VDC 50mA		12VDC 250mA	24VDC 200mA	12VDC 250mA	
OUTPUT CONTACT		1C 5A 250VAC Resistive Load		1C 20A 250VAC Resistive Load			
L I F E	MECHANICAL	10 ⁵ times					
	ELECTRICAL	5×10 ⁶ times					
SETTING ERROR		---					
RESET TIME		---					
CONSUMED POWER		2VA					
AMBIENT TEMPERATURE		-10℃~+55℃					
AMBIENT HUMIDITY		45~85%RH					
WEIGHT		Approx. 145g		Approx. 105g		Approx. 120g	

CONNECTION DIAGRAMS & TIMING CHARTS




DIMENSIONS




DIMENSIONS

Surface Mounting (N Type) : Using 8PFA Socket



Surface Mounting (N Type) : Using 8PFA Socket



ANV ELECTRIC CO., LTD.

Kaohsiung Headquarter

No. 151, Jin Shan Road, Kaohsiung, Taiwan
Tel :+886 7 359 5833 Fax :+886 7 359 5822
E-Mail : anv@anv.com.tw

Taipei Office

No. 166, Fu Xing 3rd Street, Taishan Dist.,
New Taipei City, Taiwan
Tel :+886 2 2296 3133 Fax :+886 2 2296 3233
E-Mail : taipei@anv.com.tw

Tainan Office

No. 60, Lin Sen Road Sec. 1, Tainan, Taiwan
Tel:+886 6 216 0988 Fax:+886 6 216 0388
E-Mail : tainan@any.com.tw

ANV ELECTRIC (HK) LTD

Flat 4, 14/F., Block 4, Wai Wah Centre,
Shatin, N.T., Hong Kong
Tel :+852 2690 2588 Fax :+852 2690 2511
E-Mail : anv@anv.com.hk

Taichung Office

No. 532, Wen Hsin Road Sec. 1, Taichung, Taiwan
Tel :+886 4 2320 9930 Fax :+886 4 2320 9960
E-Mail : taichung@anv.com.tw

ANV ELECTRIC (M) SDN. BHD

25-1, Jalan 1/116B, Kuchai Entrepreneur's Park,
Off Jalan Kuchai Lama, 58200 Kuala Lumpur, Malaysia
Tel : +60 3 7980 3328 Fax : +60 3 7980 3779
E-Mail : anv@anv.com.my